



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.


Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TRANSACTIONS
OF THE
AMERICAN
ENTOMOLOGICAL SOCIETY.



VOL. XXXVIII.

HALL OF THE ACADEMY OF NATURAL
SCIENCES OF PHILADELPHIA,
LOGAN SQUARE.

1912.

PRESS OF
P. C. STOCKHAUSEN
PHILADELPHIA

LIST OF PAPERS.

	PAGE
HOOKE (CHARLES W.).	
The Ichneumon Flies of America belonging to the Tribe Ophionini. Plates I-III. (Extras issued to the author June 12, 1912) . . .	1
FRANKLIN (HENRY J.).	
The Bombidæ of the New World. Part I. (Issued January, 1913)	177

INDEX.

New genera and species described in this volume are followed by the names of the Author.

	PAGE		PAGE
Agathophiona	5, 19	Bombus huntii . 243, 251, 260, 319	
<i>fulvicornis</i>	20	<i>impatiens</i> . 242, 253, 257, 309	
Allocamptus	137	<i>kincaidii</i> . 246, 254, 256, 295	
Athyreodon	5, 100	<i>kirbyellus</i> . 244, 255, 257, 290	
<i>apicalis</i>	101, 102	<i>melanopygus</i> . 245, 259, 334	
<i>armstrongi</i> <i>Hooker</i> . 101, 105		<i>mixtus</i> . . 245, 251, 260, 381	
<i>atriventris</i>	101, 102	<i>moderatus</i> . 246, 252, 258, 262	
<i>fenestratus</i>	101	<i>mormonotum</i> . 245, 256, 429	
<i>fulvescens</i>	101, 105	<i>morrisoni</i> . 244, 252, 255, 431	
Bombidæ of the New World . 177		<i>nevadensis</i> . 244, 252, 256, 416	
Bombias	410	<i>occidentalis</i>	
Bombus, Species North of Mexico,		243, 249, 256, 265	
241		<i>occidentalis nigroscutatus</i>	
Bombus	185, 260	242, 253, 256, 271	
<i>affinis</i> . . 247, 253, 258, 277		<i>pennsylvanicus</i> . 249, 257, 399	
<i>alboanalis</i> . . 242, 253, 385		<i>perplexus</i> . 243, 252, 258, 344	
<i>ambiguus</i> . . 242, 250, 376		<i>pleuralis</i> . 243, 250, 259, 364	
<i>appositus</i> . 243, 250, 258, 285		<i>polaris</i> . . 246, 254, 257, 298	
<i>arcticus</i> . . 248, 254, 258, 302		<i>rufocinctus</i> . 242, 250, 255, 438	
<i>auricomus</i> . 244, 253, 256, 413		<i>separatus</i> . 242, 250, 256, 425	
<i>bimaculatus</i> . 242, 259, 305		<i>sitkensis</i> . 242, 250, 260, 377	
<i>bolsteri</i> <i>Franklin</i> . 249, 357		<i>sonorus</i> . 248, 252, 258, 407	
<i>borealis</i> . 243, 250, 258, 282		<i>strenuus</i> . . . 246, 257, 297	
<i>californicus</i> . 246, 254, 258, 393		<i>sylvicola</i> . 243, 249, 260, 338	
<i>centralis</i> . 245, 250, 257, 371		<i>ternarius</i> . 247, 255, 260, 314	
<i>cockerelli</i> . . 246, 250, 356		<i>terrestris moderatus</i>	
<i>couperi</i> 246, 254, 359		246, 252, 258, 262	
<i>crotchii</i> . 244, 253, 255, 434		<i>terricola</i> . 246; 253, 258, 274	
<i>dorsalis</i>	247, 252	<i>vagans</i> 242, 259, 349	
<i>edwardsii</i> . 244, 250, 260, 328		<i>vosnesenskii</i> . 243, 258, 325	
<i>fernaldi</i> . 246, 251, 260, 323		Enicospilus	5, 52
<i>fervidus</i> . 247, 253, 258, 388		<i>bicolor</i>	56, 60
<i>flavifrons</i> . 245, 250, 257, 368		<i>brasiliensis</i>	86
<i>fraternus</i> . 247, 252, 256, 421		<i>brullei</i>	57, 70
<i>frigidus</i> . 242, 254, 259, 360		<i>concolor</i>	57, 74
<i>gelidus</i> . . 242, 255, 260, 341		<i>cressoni</i> <i>Hooker</i> . . . 56, 62	
<i>henshawi</i> <i>Franklin</i> . 242, 446		<i>cubensis</i>	57, 84

	PAGE		PAGE
Enicospilus dispilus	86, 87	Nototrachini	3
elegans	86, 88	Ophiomorpha	5
fernaldi <i>Hooker</i>	56, 57, 63	Ophion	5, 21
flaviceps	57, 85	abnormis	26, 47
flavoscutellatus	57, 68	abn. magniceps <i>Hooker</i>	25, 36
flavus	57, 71	analis	158
fuscatus	86, 89	ancyloneura	26, 40
fuscicornis	56, 60	atrata	158
fuscipennis	56, 58, 86, 89	biangularis	26, 47
fusc. flavostigma <i>Hooker</i> ,		bifoveolatus	25, 33
56, 58		bif. nigrovarius	25, 28
guatemalensis	56, 58, 68	bilineatus	26, 41
guyanensis	86, 88	bilin. elongatus <i>Hooker</i>	25, 30
maculipennis	57, 78	bilin. nigrovarius	25
monticola	56, 64	brachiator	159
neotropicus <i>Hooker</i>	57, 69	chilensis	26, 39
nigricauda	57, 65	chiriquensis	26, 50
nigricornis	56, 61	chloris	159
parvifasciatus	86, 87	clathratus	160
persimilis	86	coloradensis	25, 38
purgatus	57, 79	costale	25, 26
purgatus arcuatus	57, 76	dentator	160
sphacelatus	57, 79	dimidiator	161
szepligetii	86, 90	emarginatus	161
thoracicus	57, 65	extenuator	161
trilineatus	57, 71	flavidus	162
trispilus	86, 90	flavo-orbitalis	26, 49
volubilis	86, 91	flavorufus	162
xanthocarpus	86, 91	geminatus	163
xanthostigma	86, 91	glaucopterus	163
Eremotylus	5, 135, 137	holosericeus	164
angulatus <i>Hooker</i>	141, 144	intricatus	165
arctiæ	141, 146	luteus	165
flavofuscus	141, 142	melanostigma	25, 37
flavofuscus radialus <i>Hooker</i>		merdarius	166
141, 143		mundus	166
infuscatus	141, 157	nigrator	166
macrurus	141, 148	obscurus	166
rufoniger <i>Hooker</i>	141	pallipes	167
stramineus	141, 144	pennator	167
tenuigena	141, 145	quadrator	168
texanus	141, 156	quæstor	168
Hellwigiini	3		
Ichneumon flies—Ophionini	1		

	PAGE		PAGE
Ophion relictus	169	Retanisia	5, 51
slossonæ	25, 31	fascialis	52
spinator	169	Thyreodon	5, 106
undulatus	170	affinis	108, 115
Ophionini	3, 4	cyaneus	108, 111
Ophiopterus	5, 92	elegans	109, 123
coarctatus	94, 99	erythrocerus	109, 133
ferrugineus	94	fernaldi <i>Hooker</i>	109, 131
fuscipes	94, 97	ferrugineus <i>Hooker</i>	109, 121
niger	94, 97	flammipennis	109, 129
striatifrons	94, 98	grandis	108, 113
Psithyrus	185, 447	grenadensis	109, 127
ashtoni	449, 450, 466	laticinctus	109, 116
bicolor <i>Franklin</i>	450, 460	maculipennis	109, 128
consultus <i>Franklin</i>	451, 459	marginipennis	109, 129
crawfordi <i>Franklin</i>		morio	109, 118
450, 451, 464		morio transitionalis	132
fernaldæ	450, 473	morio transversalis	109
intrudeus	450	morus	108, 112
insularis	450, 455	niger	108, 109
laboriosus	450, 451	nigrocæruleus	108, 111
latitarsus	449, 469	ornatipennis	109, 122
suckleyi	451, 470	snowi	109, 125
tricolor	450, 475	spectabilis	109, 126
variabilis	450, 451, 461	zonatus	109, 117